

# IPPC-22-6200

(R22-6200)

Intel Panel PC



#### **Product Overview**

The ProDVX IPPC-22 is a high-performance 22-inch Intel Panel PC designed for professional applications requiring strong performance, exceptional display quality, and flexible operation. With its sleek black metal housing and edge-to-edge TFT LCD IPS touchscreen, the IPPC-22 offers a premium combination of durability, style, and functionality, making it an ideal solution for retail, industrial, and business environments.



Crisp 1920 x 1080 resolution, wide 16:9 aspect ratio, and ultra-wide H178°/V178° viewing angles deliver vibrant visuals and exceptional clarity.



Enhanced performance with Intel® UHD Graphics 630, 4GB DDR4L RAM, and 128GB SATA SSD for demanding applications.



Equipped with HDMI out, DisplayPort, USB 2.0 & 3.0, RS232, dual RJ45 LAN ports, and Bluetooth 4.2 for seamless integration into various setups.



Sturdy metal housing with VESA 100 mounting compatibility, supporting landscape, portrait, and table modes for diverse use cases.




Designed for continuous use with a demonstrated MTBF of 50,000 hours, ensuring reliability in professional environments.

### IPPC-22-6200 (R22-6200)

Article code: 6022150


## **Technical Drawing**




#### Sustainability

At ProDVX we are committed to doing our part when it comes to the environment. Our products are designed to have the lowest possible impact on the environment, from inception to product retirement. We also strive to operate our offices and warehouse in a carbon-neutral manner. Our aim is to lead the way in conducting responsible business in the digital signage hardware industry.


### I/O Overview





### **Optional Accessories**

Please contact your account manager for accessories



#### IPPC-22-6200 (R22-6200)

Article code: 6022150

### **Product Specifications**

#### **Performance**

**CPU model** | Intel® Core™ i5 Processors

CPU type i5-8500T

CPU speed 2.1GHz (up to 3.5GHz)
GPU type Intel® UHD Graphics 630
GPU speed 350MHz (up to 1.1GHz)

RAM 4GB
RAM type LPDDR4
Storage 128GB
Storage type SATA SSD 2,5
External storage via USB

Operating System | Windows 10 (optional Linux)

#### **Panel**

**LCD** 1920x1080xRGB@60Hz

 Type
 TFT LCD IPS

 Size
 21.5

 Contrast
 3000 to 1

 Viewing Angle
 H178 / V178

**Colours** 8 bit LVDS (16.7M) 72%NTSC CIE1931

Response time 18 ms

**Backlight** Edge-LED backlight

 BLU
 250 cd/m2

 Cover glass
 >6H - 2.05mm

 Treatment
 Glare

Treatment Glare
Haze 4~10%

**Touch type** 10 TP Pcap 20ms

#### **Frame**

**Size** | 535,5 x 328,6 x 62,5 mm

Weight 7225 g
Material Metal
VESA VESA 100
Color Black

#### Certification:

FCC.CE.RoHS

#### **Special**

PoE N.A.

IEEE 802.1x LAN & WiFi, PEAP/TLS/TTLS
Cooling YES

HDMI-in N.A.
HDMI-out Yes, HDMI out

 WiFi
 802.3 b/g/n

 Bluetooth
 BT 4.2

**LAN** 10/100/1000 Mbps LAN

Audio internal 2 x 3 W

Audio external 1x 3.5mm jack in, 1x 3.5mm jack out

Microphone via USB & 3.5mm jack

**USB ports** 2x USB 3.0 type A, 2x USB 2.0 type A

OTG N.

Other ports DisplayPort,2x LAN RJ45 port,2x RS-232 (DB9)

PoGo slots
NFC
Camera
Barcode scan
LED
DisplayPort,2x L

2x (bottom/left)
via PoGo & USB
via PoGo & USB
via PoGo & USB
via PoGo

Operating hrs 24h / 7d

MTBF 50,000 hours demonstrated

Clock batt. CR2032 - Lithium-metal non-rechargeable coin

Alternative OS Ubuntu 22.04 Power input 12 V / 8.33 A Operating temp  $0 \sim 40 \text{ degrees C}$  Storage temp  $-10 \sim 55 \text{ degrees C}$ 

**Humidity** 10 ~ 90% non-condensing

Warranty 3 years

**Orientation** Landscape, Portrait, Table Mode

SIM card slot N.A.

Power usage 40 ~ 70 Watt

OSD language Multi OSD language

Motion sensor N.A

### Multimedia support

Image formatJPEG,PNGAudio formatMP3,WMAVideo formatMKV,MP4